

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/434986/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

M/s.CHOPRA KAKDE REALTY LLP, Survey no 674, 686, 687, near woodsvilla phase-3, Boradewadi, Moshi.

> Subject : Environmental Clearance for Residential and Commercial Construction project at survey no 674, 686, 687, near woodsvilla phase-3, Boradewadi, Moshi by M/s.CHOPRA KAKDE REALTY LLP

Reference : Application no. SIA/MH/INFRA2/434986/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 179th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 269th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 3rd November, 2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	Parivesh Proposal no. SIA/MH/I	Parivesh Proposal no. SIA/MH/INFRA2/434986/2023				
2.	Name of Project	Proposed Residential & Commercial construction project at Survey No. 674, 686, 687, near woodsvilla phase – 3, Boradewadi, moshi, pune Category 'B2', Activity 8(a/b)					
3.	Project category						
4.	Type of Institution	Private					
5.	Project Proponent	Name	M/s. Chopra Kakde Realty LLP And Rose Villa				
		Regd. Office address	Shop No. 27,28 Radha Krushna Complex, Tirupati Chowk, Sector 1, Indrayani Nagar, Pune				
		Contact / e-mail	9881093699 technical@dlcworld.in				
6.	Consultant	Open Arch Design and Enviro Solutions LLP					
·		302, big Splash, Plot no. 78 & 78, Sector 17, Vashi, Thane, Maharashtra- 400703 Accreditation No : NABET/EIA/2124/IA0081					
7.	Applied for	New Project					
8.	Details of previous EC	No					
9.	Location of the project	Survey No. 674, 686, 687, near v Boradewadi, Moshi, pune	woodsvilla phase – 3,				

10	Latitude and Longitude	Latitude 18º/011	<u>איירד ד</u>	······································		
10.	Latitude and Longitude	Latitude- 18°40'17.77"N, Longitude-73°50'21.94"E				
11	Total Plot Area (m2)	16700.00 sq m				
	Deductions (m2)	1508.20sq m				
	Net Plot area (m2)	15191.80 sq m				
-		67864.75 sq m				
15.	Proposed non-FSI area (m2)	17025.82 sq m				
16.	Proposed TBUA (m2)	84890.87sq m				
	Planning Authority till date	Approved FSI area (sq. m.):-In process. Approved Non FSI area (sq. m.):- In process. Sanction B.P. no: In process. Date of Approval: In process.				
	Ground coverage (m2) & %					
		268.77Cr				
	CC circular dated	According to OM no. F. No. 22-65/2017-IA dated 20.10.2020, CER activity are mentioned in the Environment Management Plan				
21.	Details of Building Configuration: Reason <please floor="F," following="" legends:="" parking="Pk," podium="Po," stilt<="" td="" use=""> for =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Modificat Sh> ion / Previous EC / Existing Building Proposed Configuration</please>					
22	Building Configurati	<u> </u>	Iding C	onfigura Height	New project	
	Name n	(m) Na Build Build Build	ime ling A E ling B E	tion (m) 3+G+10 37.50 m 3+G+14 43.60 m 3+G+14 43.60 m		
23	3 Total number of tenements Residential Tenements - 624 Nos. Residential Population - 3120 No's. Commercial Users - 297					
		Dry Season (C		Wet Seaso	n (CMD)	
		Fresh Water	288.22	Fresh Water	288.22	
		Recycled (Flushing)	9.12	Recycled (Flushing)	0.00	
24	Water Budget	Swimming Pool	0.00	Swimming Pool	0.00	
	- 420% 4442	Recycled (Gardening)	146.33	Recycled (Gardening)	146.33	
	•		443.66	Total	434.55	
		Waste water generation	391.09	Waste water generation	391.09	
25	Water Storage Capacity for	Firefighting - Und	derground	d water tank (CMD)	: 275.00	
	Firefighting / UGT (m3)	Firefighting - Ove building	erhead wa	ater tank (CMD):20.	00 for each	

EC Identification No. - EC24B038MH164345 File No. - SIA/MH/INFRA2/434986/2023 Date of Issue EC - 05/01/2024 Page 3 of 11

26	Source of water	РСМС				
27	Rainwater Harvesting (RWH)	Level of the Ground water Post Mon table: Pre-Mon		1soon: 08-10 m soon: 10-12m		
		Size and no of RWH NA				
		tank(s) and Quantity: Quantity and size of 1.5 X 2.0) X 3.0 m	
					echarge pits-03 Nos.	
		Rooftop			recharge pits-04 Nos.	
	Details of UGT tanks if			harge pots- 07 Nos.		
	any:	Domestic Capacity:441 CUM Flushing UG Tank Capacity:220 CUM				
		Fire Fighting Canacity 275 CLIM				
28	Sewage and Wastewater	Sewage generation in 391.09KLD				
		STP technology	MBB	R		
		Capacity of STP (CMD):	395.0	0 KLD		
29	Solid Waste Management during	Туре		iantity kg/d)	Treatment / disposal	
	Construction Phase	Dry waste:	NA	51 C	NA	
		Wet waste:	NA		NA	
		Construction waste	Excavation: 26127 cum		Top Soil: 4584cum, Murrum: 6417cum,	
30	Solid Waste Management during	Туре	Quan (kg/d	A CONTRACTOR OF THE	Treatment / disposal	
	Operation Phase	Dry waste:	669 k	g/Day	Dry waste will be sent for recycling to agency SWACH	
		Wet waste:	966 k	g/Day	Wet waste will be converting to compost by using OWC	
		Hazardous waste:	NA		NA	
		Biomedical waste	Negli	gible	We will dispose the bio medical waste as per bio medical waste rules / guidelines issued by competent authority time to time.	
		E-Waste	5.0 kg	z/Day	Handed over to authorized vendor	
31	Green Belt	Total RG area (m2)		1600.32		
	Development	Existing trees on plot		37 No's		
		Number of trees to be planted			209 No's	
		Number of trees to be cut			5 No's	
		Number of trees to be Retained			32 No's	
32.	Power requirement:	Source of power supply:			MSEDCL	

1	1	Dentin - Constr			100 224	<u> </u>	
		During Construction Phase			100 KVA		
		(Demand Load): During Operation phase (Connected			4120 KVA		
			ton phase (C	onnected			
		load):	ion phase (D	amand	2205 KVA		
		During Operation phase (Demand			2203 K VA		
		load): Transformer:			630 KVA X3Nos. +		
		Transformer:			315 KVA X		
		DG set:			$\frac{315 \text{ KVA} + 500 \text{ KVA}}{30 \text{ KVA} + 500 \text{ KVA}}$		
	Fuel used:			HSD			
22	Details of	and the second	avinas 20%		<u>µ100</u>		
33.		Total Energy Savings 20%					
34.	Energy saving Environmental	Туре	Details		- 1 .	Cost	
J 4 .	Management plan budget	a ybe	Details		19 AN 19	(Lakh)	
	during Construction	Air	Dust su	nnression	measures ar	·····	
	phase		barricac	The second s			
		Land		nitation &	Safety	2.1	
		Env. managen			lonitoring		
		Health & safe	5	cuon and	Health Chec	×-	
25		Constanting	ups	tails	Capital	0&M (Rs. /Y)	
35.		Component	Dei	ans	(Rs.)	$\mathbf{G}_{\mathbf{X}}$ (AS. / 1)	
	Management plan Budget during Operation phase	Sewage	ME	BBR	120.68		
	during Operation phase	treatment	- IVIL	DDK	lakhs	14.11 lakhs	
		RWH	Rain	water			
				esting	14.00 lakhs	0.70lakhs	
		Solid Waste		oal Solid			
		bone wase	wadde - willing - Solar	iste	14.50 lakhs	4.90 lakhs	
	A CONTRACTOR OF THE OWNER	Green belt		caping			
	An Arter and Charles and Arter and	development			55.00 lakhs	6.00 lakhs	
		Energy saving	Energy	Savings	107.15	C 263 11	
					lakhs	5.36 lakhs	
		Disaster	Ligh	tning	2 00 1 -11		
	A Chiefe	Management		estor	2.80 Lakhs	÷-	
	Care Sta Manage	Env. Monitori	ng	10 - 25 - 25 - 25 - 25 - 25 - 25 - 25 - 2		0.125 lakhs	
36.	Traffic Management	Туре	Required as	Actual	Area per	parking (m2)	
			per DCR	Provided	1		
		4-Wheeler	358	358	12.	50Sq.m	
		2-Wheeler	805	805	2.0)0sq. m	
		Bicycles	-				
37.	Details of Court cases / lit	gations w.r.t. th	e project and	l project	NO		
	location if any.						

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 269th (Day-2) meeting held on 3rd November, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit the copy of IoD.
- 2. PP to submit the revised rain water harvesting calculation. PP to increase the surface recharge pit.
- 3. PP to increase the energy saving by solar energy.
- 4. PP to submit the revised landscape plan incorporating compensatory plantation.
- 5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 6. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area of 1599.13 m2 on mother earth without any construction. Local planning authority to ensure the compliance of the same.
- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for-FSI-67864.75 m2, Non FSI-17025.82 m2, total BUA- 84890.87 m2. (Plan approval No-BP/EC/Brohadewadi/04/2023, dated-18.08.2023)

General Conditions:

a) <u>Construction Phase :-</u>

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.

- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.
- B) Operation phase:-
 - a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
 - II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
 - III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an

independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).

- Green Belt Development shall be carried out considering CPCB guidelines including VIII. selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - Separate funds shall be allocated for implementation of environmental protection Χ. measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- The project management shall advertise at least in two local newspapers widely XI. circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- A copy of the clearance letter shall be sent by proponent to the concerned Municipal XII. Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient

location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time. 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pimpri Chinchwad Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

